HAZARD ASSESSMENT

HIRE DEPOT

Jacks

IDENTIFIED HAZARD	RISK (YES/ NO)	PROPOSED METHOD OF CONTROL MEASURE	ARE THE CONTROL METHODS PRACTICAL?
Persons could be injured if the operator performs duties that are not his responsibility and beyond the scope of his technical capabilities.	YES	The operator should be adequately trained or licensed. The operator must not carry out any work that is outside his normal duties and report any matters of concern to his supervisor.	YES
Crushing due to overloading or failure of the jack.	YES	Do not place yourself or anyone else under the load, whilst the jack is supporting the load. Do not leave the load supported by the jack, use jack stands or equivalent. Do not overload the jack, check the load capacity of the unit. Ensure to close the release valve properly. Daily inspection of the jack is required or before each use.	YES
Crushing due to misuse of the jack.	YES	Only operate the jack on a firm level setting. Ensure to close the release valve properly.	YES
Persons could be injured if the machine operator is unfamiliar with typical unsafe conditions and hazards that could affect the safe operation of the unit.	YES	The operator should be trained in determining unsafe conditions and hazards that are relative to the machine's safe operation.	YES
Persons could be injured if personal protective equipment is not available or being used when working in an unsatisfactory environment e.g. noise, heat, fumes, etc.	YES	Instruct the operator to ensure that appropriate personal protective equipment is available and is in good condition prior to commencing work.	YES

MANDATORY PERSONAL PROTECTIVE EQUIPMENT







Customer Signature:	Date: